




TECHNICAL DETAILS

Great Lakes Stone



PRODUCT DRAWINGS





Piece Ratios


Unit	А3	A2	Α1
Quantity	1	1	1


PRODUCT DETAILS

	Great Lakes Stone Bulk Pak		Great Lakes Stone Small Pak		Great Lakes Stone Corner Pak	
	Metric	Imperial	Metric	Imperial	Metric	Imperial
Selling UoM		BP		SP		СР
Units/Skid		1		27		27
Weight/UoM	426kg	937lbs	32.5kg	71.6lbs	31.6kg	69.6lbs
Weight/Skid	426kg	937lbs	897kg	1,973lbs	872kg	1,919lbs
# of Layers	N/A	N/A	3	3	3	3
UoM/Layer	N/A	N/A	9	9	9	9
Coverage/Unit	6.60m2	71sf	0.46m2	5sf	1.52lm	5lf
Coverage/Skid	6.60m2	71sf	12.54m2	135sf	41.15lm	135lf
Pallet Size	107cmx122cm	48"x42"	107cmx122cm	48"x42"	107cmx122cm	48"x42"

CORNERS

Corner units are sold seperately.






Piece Ratios

Unit	C2	C1
Quantity	1	3

TYPICAL INSTALLATION PATTERN



- Typical Installation Guidelines:
- Blend product from multiple packages for most natural look
- It is important to use all the pieces from multiple Small-Paks, or Bulk-Paks to ensure a good layout and appearance.

TYPICAL COURSING GUIDE

Vertical Units

1	127mm	5"
2	254mm	10"
3	381mm	15"
4	508mm	20"
5	635mm	25"
6	762mm	30"
7	889mm	35"
8	1,016mm	40"
9	1,143mm	45"
10	1,270mm	50"
20	2,540mm	100"
30	3,810mm	150"
40	5,080mm	200"
50	6,350mm	250"
100	12,700mm	500"

CODES & STANDARDS

Fusion Stone Products are supported by the following National Codes & Standards. Refer to local building codes and standards to confirm best practice.

CCMC# 14008-R

HATCH PATTERNS & TEXTURE MAPS

To access Shouldice Stone Hatch Patterns and texture maps visit the corresponding shouldice.ca product page for current availability.

CONTACT US

For technical questions regarding our product line please contact our knowledgeable customer service team. By phone: 800.265.3174 or email: solutions@shouldice.ca